

TANKER TEST AND INSPECTION REPORT

Information as required by CSA B-620-14

INSPECTION TEST DATE

2018-04

SERIAL NUMBER

18858

OWNER: **Robbie D. Wood, INC.**

PRINCIPAL PLACE OF BUSINESS ADDRESS: **1051 Old Warrior River Rd.** TELEPHONE: **205-744-8446**

CITY, STATE, ZIP CODE: **Dolomite, AL 35061**

OWNER'S SERIAL NO. MFG. DATE: **2018-04** ORIG. TEST DATE: **2018-04**

CARRIER'S EQUIPMENT NO. **SERV-109** VESSEL MATERIAL SPEC. NO. MANUFACTURER'S SERIAL NO. **2T1SL4328KB000239** ASME CODE SYMBOL

TYPE OF TEST (S)

EXTERNAL VISUAL (V) PRESSURE RETEST (P) A W **45** PSIG / 10 MIN
 INTERNAL VISUAL (I) LEAKAGE TEST (K) A W **25** PSIG / 5 MIN
 THICKNESS TEST (T) UPPER COUPLER (UC) MEDIUM A = AIR

HYDROSTATIC OR PNEUMATIC PROCEDURE MEDIUM W = WATER

ON COMPARTMENTED TRAILER ONLY ONE COMPARTMENT CAN BE FILLED WITH LIQUID (FLUID USE FOR TEST IT'S ONLY WATER) OR

AIR WHEN PNEUMATIC TEST IS USED (SEE MANUAL FOR PROCEDURE) TEST PRESSURE KPA **310.10**

AND TEST AT A TIME ALL ADJACENT COMPARTMENT MUST BE EMPTY

CERTIFIED BY

MANUFACTURER: **TREMCAR INC.**

WATER CAPACITY (Kg): **26790**

DESIGNED FOR

MAXIMUM ALLOWABLE WORKING PRESSURE: **172.28** KPA MINIMUM DESIGN METAL TEMPERATURE: **-29 TO 121** C TO C

CHECKLIST OF ITEMS INSPECTED OR TESTED (YES=ACCEPT/NO=REJECT)

OUTSIDE BARREL ITEMS	P	K	T	STRUCTURE ITEMS		GENERAL ITEMS		INTERNAL BARREL ITEMS	
				YES	NO	YES	NO	YES	NO
Tank Shell	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Tank Heads	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Head-to-Shell Seam	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Piping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Gaskets	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Manhole Covers	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Manhole Gaskets	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Devices for Tightening Manhole	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Reclosing Pressure Relief Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Self-closing Stop-valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Excess Flow Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Remote Closure Devices	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

(CHECK ONE)

NO DEFECT OR DAMAGE DISCOVERED

DEFECT OR DAMAGE DISCOVERED

EXPLAIN:

NONE - NEW CARGO TANK

IS REPAIR CERTIFICATION REQUIRED?

YES NO

DESIGN CERTIFYING ENGINEER REGISTRATION NO.

NONE - NEW TANK TRUCK

METHOD OF REPAIRS:

TEST DATE

2018-04

TC REGISTRATION NUMBER OF THE TESTING FACILITY/ PERSON

REPAIR INFORMATION

REPAIR DATE

TESTED BY: (PERSON'S) **ROUSSELLE LIONEL**

COMPANY NAME: **TREMCAR INC.**

ADDRESS: **790 MONTRICHARD AVE.**

CITY, STATE, ZIP CODE: **ST-JEAN-SUR-RICHELIEU, QC, CANADA, J2X 5G4**

TESTED BY: (PERSON'S)

REPAIRED BY

ADDRESS

CITY, STATE, ZIP CODE

DISPOSITION OF CARGO TANK APPLIED X IN THE APPROPRIATE CASE

CARGO TANK FAIL TC SPECIFICATIONS AND IS OUT OF SERVICE	<input type="checkbox"/>	CARGO TANK MEET TC SPECIFICATIONS AND IS RETURN TO SERVICE	<input checked="" type="checkbox"/>	MARKINGS APPLIED	<input checked="" type="checkbox"/>	YES	NO
---	--------------------------	--	-------------------------------------	------------------	-------------------------------------	-----	----

SIGNATURE OF INSPECTOR: *[Signature]* TC REGISTRATION NUMBER: **25-0264** DATE: **2018-04** OWNER SIGNATURE: _____ DATE: _____



TREM CAR
 790, avenue Montrichard
 St-Jean-sur-Richelieu, QC
 Canada J2X 5G4

CT-5931
 ST-JEAN-SUR-RICHELIEU

CT-5930
 ST-CÉSARE

BCTE INC
 ISSUED TO OWNER

CERTIFICATE OF COMPLIANCE

THIS CERTIFIES THAT THE NEW TREM CAR TANK DESCRIBED BELOW WAS DESIGNED, CONSTRUCTED, TESTED AND COMPLETED IN ACCORDANCE WITH THE APPLICABLE CARGO TANK SPECIFICATION.

VEHICLE TYPE : **SEMI TRAILER** CAPACITY : **7077 USG** DATE SHIPPED : **2018-04**
 YEAR FABRICATED : **2018** VIN : **2TLS14328KB000239** SERIAL NUMBER : **18858**

Jacques Tremblay
 RESPONSIBLE OFFICIAL OF TREM CAR INC. DESIGN CERTIFICATION ENGINEER
[Signature]
 REGISTERED INSPECTOR

CARGO TANK COMPLIES WITH SPECIFICATION

DOT : **407**
 CERTIFICATION DATE : **2018-04**

CARGO TANK COMPLIES WITH SPECIFICATION

DOT : _____
 EXCEPT AS LISTED
 CERTIFICATION DATE : _____

ITEMS NOT INSTALLED AT TIME OF SHIPMENT :

1. _____
2. _____
3. _____
4. _____

ABOVE ITEMS INSTALLED : _____
 BY : _____ FIRM _____
 AUTHORIZED SIGNATURE(S) _____

RECORD OF ANNUAL INSPECTION

(49 CFR, 396. 17-23)

2018-04

Prepare Separate Report for Each Vehicle Inspected

D3918901

COMPANY NAME			VEHICLE TYPE <input type="checkbox"/> TRUCK <input type="checkbox"/> TRACTOR <input checked="" type="checkbox"/> TRAILER <input type="checkbox"/> CONVERTER DOLLY		
STREET ADDRESS			VEHICLE MAKE TREMCAR	MODEL TRA/REM	YEAR 2019
CITY	STATE	ZIP	VEHICLE IDENTIFICATION (Company No., State Tag No. or VIN) 2TSL4328KB000239		
INSPECTOR'S NAME (Please Print)				EMPLOYEE NO.	

REPORT OF CONDITION (For Detailed Information on Inspection Procedures see FMCSR Section 396, Appendix G)

	OK	REPAIR		OK	REPAIR		OK	REPAIR		OK	REPAIR
BRAKES			EXHAUST			STEERING			FRAME		
Adjustment	✓		Leaks			Adjustment			Members		
Mechan. Compon.	✓		Placement			Column/Gear			Clearance		
Drum/Rotor	✓		LIGHTING			Axle					
Hose/Tubing	✓		Headlights			Linkage			TIRES		
Lining	✓		Tail/Stop	✓		Power Steering			Tread	✓	
Antilock System	✓		Clearance/Marker	✓		Other			Inflation	✓	
Automatic Adjusters	✓		Identification	✓		FUEL SYSTEM			Damage	✓	
Low Air Warning			Reflectors	✓		Tank(s)			Speed Restrictions		
Trailer Air Supply			Other <i>TYPE</i>	✓		Lines			Other		
Compressor											
Parking Brakes			CAB/BODY			SUSPENSION			WHEELS/RIM		
Other			Access			Springs			Fasteners	✓	
			Eqpt./Load Secure			Attachments	✓		Disc/Spoke	✓	
COUPLERS			Tie-Downs			Sliders			<i>500 LBS TOR</i>	✓	
Fifth-Wheel & Mount			Headerboard			<i>AIR</i>	✓		WINDSHIELD		
Pin/Upper Plate	✓		Motorcoach Seats			MIRRORS					
Pintle-Hook/Eye			Other						WINDSHLD. WIP.		
Safety Chain(s)											

REMARKS

Certification: This vehicle has passed all the inspection items for the annual vehicle inspection in accordance with 49 CFR Part 396.

QUALIFIED INSPECTOR'S SIGNATURE

John Russell

DATE

2018-04

APPLY LABEL TO A CLEAN, DRY SURFACE. USE WITH AN OVERLAMINATE (2402) TO IMPROVE DURABILITY UNDER NORMAL WEATHER CONDITIONS.

AN INDELIBLE INK MARKER IS RECOMMENDED FOR USE WHEN FILLING OUT THE LABEL. INDELIBLE INK IS PERMANENT AND WILL NOT WASH OFF, BUT MAY FADE DUE TO EXPOSURE TO ULTRAVIOLET LIGHT OVER TIME. CAREFUL DISCRETION IS ADVISED REGARDING APPLICATION OF LABEL TO AN AREA NOT EXPOSED TO EXCESSIVE ULTRAVIOLET LIGHT AND/OR ELEMENTS AND IT IS RECOMMENDED THAT THE READABILITY OF THE LABEL BE CHECKED PERIODICALLY.

Job#: 18843@18892		Units: USG				Job#: 18843@18892				Units: USG					
CHARTRE DE CALIBRATION / CALIBRATION CHART		CHARTRE DE CALIBRATION / CALIBRATION CHART				CHARTRE DE CALIBRATION / CALIBRATION CHART				CHARTRE DE CALIBRATION / CALIBRATION CHART					
CITERNE COMPARTIMENT / TANK COMPARTMENT: 1		CITERNE COMPARTIMENT / TANK COMPARTMENT: 1				CITERNE COMPARTIMENT / TANK COMPARTMENT: 1				CITERNE COMPARTIMENT / TANK COMPARTMENT: 1					
	0"	1/4"	1/2"	3/4"		0"	1/4"	1/2"	3/4"		0"	1/4"	1/2"	3/4"	
1	0	0	3	8	14	54	6199	6225	6251	6277	54	6199	6225	6251	6277
2	1	22	30	40	50	55	6302	6327	6352	6377	55	6302	6327	6352	6377
3	2	61	73	85	98	56	6401	6426	6450	6473	56	6401	6426	6450	6473
4	3	112	126	141	156	57	6497	6520	6543	6565	57	6497	6520	6543	6565
5	4	172	188	204	222	58	6588	6610	6631	6653	58	6588	6610	6631	6653
6	5	239	257	275	294	59	6674	6694	6715	6735	59	6674	6694	6715	6735
7	6	313	333	353	373	60	6754	6774	6793	6811	60	6754	6774	6793	6811
8	7	393	414	435	457	61	6829	6847	6864	6881	61	6829	6847	6864	6881
9	8	479	501	523	546	62	6897	6913	6929	6944	62	6897	6913	6929	6944
10	9	569	592	616	640	63	6958	6972	6985	6998	63	6958	6972	6985	6998
11	10	664	688	713	738	64	7010	7022	7032	7042	64	7010	7022	7032	7042
12	11	763	788	814	839	65	7051	7059	7066	7072	65	7051	7059	7066	7072
13	12	865	892	918	945	66					66				
14	13	972	999	1026	1054										
15	14	1081	1109	1137	1165										
16	15	1194	1222	1251	1280										
17	16	1309	1338	1368	1397										
18	17	1427	1457	1487	1517										
19	18	1548	1578	1609	1639										
20	19	1670	1701	1732	1763										
21	20	1795	1826	1858	1890										
22	21	1921	1953	1985	2017										
23	22	2050	2082	2114	2147										
24	23	2179	2212	2245	2278										
25	24	2311	2344	2377	2410										
26	25	2443	2476	2510	2543										
27	26	2577	2610	2644	2677										
28	27	2711	2745	2779	2812										
29	28	2846	2880	2914	2948										
30	29	2982	3016	3051	3085										
31	30	3119	3153	3187	3221										
32	31	3255	3290	3324	3359										
33	32	3393	3427	3462	3496										
34	33	3530	3565	3599	3633										
35	34	3668	3702	3736	3771										
36	35	3805	3839	3874	3908										
37	36	3942	3976	4010	4044										
38	37	4079	4113	4147	4181										
39	38	4215	4249	4282	4316										
40	39	4350	4384	4417	4451										
41	40	4485	4518	4552	4585										
42	41	4618	4652	4685	4718										
43	42	4751	4784	4817	4849										
44	43	4882	4915	4947	4980										
45	44	5012	5044	5077	5109										
46	45	5141	5172	5204	5236										
47	46	5267	5299	5330	5361										
48	47	5392	5423	5454	5484										
49	48	5515	5545	5576	5606										
50	49	5636	5665	5695	5725										
51	50	5754	5783	5812	5841										
52	51	5870	5898	5926	5954										
53	52	5982	6010	6038	6065										
54	53	6092	6119	6146	6173										

THIS CHART IS NOT INTENDED FOR LEGAL MEASURE
CETTE TABLE N'EST PAS CONÇUE POUR MESURE LÉGALE

4765-SS1
STRV-109



CERTIFICATE OF COMPLIANCE

790 Avenue Montrichard
Saint-Jean-sur-Richelieu
Canada J2X 5G4
Transport Canada Reg. # 25-264

THIS CERTIFIES THAT THE NEW TREMCAR INC TANK, FITTINGS, VALVES, PIPING AND PROTECTIVE DEVICES DESCRIBED BELOW WAS DESIGNED, CONSTRUCTED, TESTED, AND COMPLETED IN ACCORDANCE WITH THE APPLICABLE CARGO TANK SPECIFICATION

VEHICLE TY1	TRAILER	MANUFACTURER:	TREMCAR INC.	TCRN:	N/A
		ASSEMBLER:		MDIN:	13017
		(IF NOT SAME AS MANUFACTURER)		VIN:	2TLSL4328KB000239
				TANK SERIAL NUMBER:	18858

Jacques Tremblay
RESPONSIBLE OFFICIAL OF TREMCAR INC.

H. B.
DESIGN ENGINEER

James Russell
TANK INSPECTOR
NAME AND ADDRESS (IF NOT SAME AS ABOVE)

CARGO TANK COMPLIES WITH SECIFICATION:

TC 407

VENTS INTALLED:	RATING	DATE OF MFR:	2018-04
	1. BETTS RVC3ST-25, 409559 SCFH (90%)	DATE OF CERT.:	2018-04
	2. _____		
	3. _____		

ITEMS NOT INSTALLED AT TIME OF SHIPMENT: 1. _____

ORIG. TEST DATE	2018-04		
MAX. PAYLOAD	27443	KG	
MAX LOAD RATE	1893	L/MIN @	172.3 Kpa
MAX. UNLOAD RATE	1893	L/MIN @	172.3 Kpa
HEATING SYS. PRESS.	516.8	Kpa	HEATING SYS. TEMP. 121.1 °C
MAWP	172.3	Kpa	TEST P 310.1 Kpa
DESIGN TEMP. RANGE	-29	°C	TO 121 °C
WELD MATL.	ER316L		HEAD MATL. SA240-316/316L
SHELL MATL.	SA240-316/316L		LINING N/A
MIN. SHELL THICK.	TOP 2,921	MM	BOTTOM 2,921 MM
MFD. SHELL THICK.	TOP 3,277	MM	BOTTOM 3,277 MM
MIN HEAD THICK.	2,921	MM	MFD HEAD THICK. 3,556 MM
MAX. LADING DENSITY	1,92	KG/L	VOL. CAP 26 790 L
EXPOSED SURFACE AREA	67,07	SQ M	

2018-04 18858

OWNER Robbie D. Wood, Inc.		CARRIER (if other than owner)	
PRINCIPAL PLACE OF BUSINESS ADDRESS 1051 Old Warrior River Rd.		PRINCIPAL PLACE OF BUSINESS ADDRESS	
CITY, STATE, ZIP CODE Dolomite, AL. 35061	TELEPHONE 205-744-8440	CITY, STATE, ZIP CODE	TELEPHONE
OWNER'S TANK SERIAL NO. SERV-109	MFG. DATE 2018-04	CARRIER'S EQUIPMENT NO.	VESSEL MATERIAL SPEC. NO.
CARGO TANK MOTOR VEHICLE MFG. TREMCAR	CARGO TANK MOTOR VEHICLE CERT. DATE 2018-04	TANK MANUFACTURER TREMCAR	MANUFACTURER'S TANK SERIAL NO. 2TLSL4328KB000239
MAX. WEIGHT OF LADING LBS. 60500	LINING MATERIALS N/A	DOT SPECIFICATION NO. 407	FLUID CAPACITY (GALS.) 7077 USG
HEATING SYSTEM	DESIGN PRESSURE (PSIG) 75	DESIGN TEMPERATURE (°F) 250	ORIGINAL TEST DATE 2018-04
MATERIAL SHELL SA240-316/316 L	HEAD SA240-316/316 L	DESIGN TEMPERATURE (°F) -20 TO 250	MAXIMUM ALLOWABLE WORKING PRESSURE (PSIG) 25
EXPOSED SURFACE AREA IN SQ. FT. 722	MAX. DESIGN DENSITY OF LADING (LBS. PER GAL.) 16.00	TANK <input type="checkbox"/> LINED <input checked="" type="checkbox"/> INSULATED	
TYPE OF TEST(S) <input checked="" type="checkbox"/> EXTERNAL VISUAL (V) <input checked="" type="checkbox"/> LEAKAGE TEST (K) <input checked="" type="checkbox"/> PRESSURE RETEST (P) <input checked="" type="checkbox"/> INTERNAL VISUAL (I) <input checked="" type="checkbox"/> HYDROSTATIC <input type="checkbox"/> PNEUMATIC <input checked="" type="checkbox"/> HYDROSTATIC <input type="checkbox"/> LINING INSPECTION (L) <input type="checkbox"/> DELIVERY HOSE/PIPING <input type="checkbox"/> PNEUMATIC <input checked="" type="checkbox"/> THICKNESS TEST (T) <input type="checkbox"/> K-EPA27 <input type="checkbox"/> MATERIAL CORROSIVE TO TANK <input type="checkbox"/> DEDICATED SERVICE <input type="checkbox"/> OTHER			

ITEMS INSPECTED OR TESTED																					
YES	NO	ITEM	YES	NO	ITEM	TYPE					K-EPA27										
<input checked="" type="checkbox"/>		Tank Shell	<input checked="" type="checkbox"/>		Frangible (Rupture) Disk	PRESSURE RELIEF DEVICES	BETTS #RVC331-	25									Gasoline Delivery Tank Pressure Test - EPA Reference Method 27				
<input checked="" type="checkbox"/>		Tank Heads	<input checked="" type="checkbox"/>		Major Appurtenances												TEST	TIME	MEASURE	AVERAGE	
<input checked="" type="checkbox"/>		Head-to-Shell Seam	<input checked="" type="checkbox"/>		- upper coupler assembly												START	END	START	END	RESULTS
<input checked="" type="checkbox"/>		Valves	<input checked="" type="checkbox"/>		- suspension system attachments												PRES.				
<input checked="" type="checkbox"/>		Gaskets	<input checked="" type="checkbox"/>		- connecting structures												PRES.				
<input checked="" type="checkbox"/>		Manhole Covers	<input checked="" type="checkbox"/>		Lining Material												VAC.				
<input checked="" type="checkbox"/>		Manhole Gaskets	<input checked="" type="checkbox"/>		Pressure Bearing Portions of Heating System												VAC.				
<input checked="" type="checkbox"/>		Devices for Tightening Manhole Gaskets on Full Opening Rear Head	<input checked="" type="checkbox"/>		Flues for Heating System												VR VENT				
<input checked="" type="checkbox"/>		Self-closing Stop-valves	<input checked="" type="checkbox"/>		Corroded or Abraded Areas												VR VENT				
<input checked="" type="checkbox"/>		Excess Flow Valves	<input checked="" type="checkbox"/>		Distortions																
<input checked="" type="checkbox"/>		Remote Closure Devices	<input checked="" type="checkbox"/>		Dents	Pressure - set to discharge	25														
<input checked="" type="checkbox"/>		Reclosing Pressure Relief Valves	<input checked="" type="checkbox"/>		Welds	Pressure - when open	30														
<input checked="" type="checkbox"/>		Nuts and Bolts	<input checked="" type="checkbox"/>			Pressure - when resealed	27														
DELIVERY HOSE/PIPING						THICKNESS (INCHES)					MFG.										
HOSE I.D. NO. N/A DATE OF ORIG. HOSE ASSEMBLY TEST						HEAD 0.131					MIN. TESTED 0.115										
CONDITION OF HOSE ASSEMBLY & PIPING SYSTEM						SHELL TOP 0.127					SHELL SIDE 0.115										
						SHELL SIDE 0.127					SHELL BOTTOM 0.115										
FLUID USED WATER																					
PRESSURE 25																					
HOLDING TIME 5 min																					
LEAKAGE TEST WATER																					
PRESSURE TEST WATER																					
UPPER COUPLER ASSEMBLY <input checked="" type="checkbox"/> EXAMINED IN PLACE NEW																					
<input type="checkbox"/> REMOVED FOR EXAMINATION																					

(CHECK ONE) NO DEFECT OR DAMAGE DISCOVERED DEFECTS OR DAMAGE DISCOVERED

LOCATION OF DEFECTS OR DAMAGE: weld heat-affected zone liquid phase vapor phase head-to-shell seam delivery hose/piping appurtenances

Explain:
NONE - NEW CARGO TANK

NATURE AND SEVERITY:

METHOD OF REPAIRS: IS REPAIR CERTIFICATION REQUIRED? YES NO DESIGN CERTIFYING ENGINEER REGISTRATION NO. _____

THIS UNIT HAS HAULED	<input type="checkbox"/> ANHYDROUS AMMONIA (<input type="checkbox"/> CERTIFIED AS 0.2% WATER BY WEIGHT) <input type="checkbox"/> LIQUEFIED PETROLEUM GAS	<input type="checkbox"/> ANY OTHER MATERIAL THAT MAY CAUSE STRESS CORROSION CRACKING	STRESS RELIEVED AFTER FABRICATION <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	REPAIR DATE
DOT REGISTRATION NUMBER OF THE TESTING FACILITY/PERSON CT-5931	TEST DATE 2018-04	STRESS RELIEVED AFTER REPAIR <input type="checkbox"/> YES (<input type="checkbox"/> Full <input type="checkbox"/> Local) <input type="checkbox"/> NO	ASME OR NATIONAL BOARD NO. OF REPAIR FACILITY	
TESTED BY (Person's Name) ROUSSELLE LIONEL		REPAIRED BY		
ADDRESS 790 MONTRICHARD AVE.		ADDRESS		
CITY, STATE, ZIP ST-JEAN-SUR-RICHELIEU, QC, CANADA, J2X 5G4		CITY, STATE, ZIP		

CARGO TANK: MEETS FAILS TO MEET THE REQUIREMENTS OF THE DOT SPECIFICATIONS IDENTIFIED ON THIS REPORT

DISPOSITION OF CARGO TANK: WITHDRAWN FROM SERVICE RETURNED TO SERVICE MARKINGS APPLIED: YES NO

SIGNATURE OF INSPECTOR/TESTER <i>[Signature]</i>	DOT REGISTRATION NUMBER CT-5931	DATE 2018-04	SIGNATURE OF OWNER	DATE
---	---	------------------------	--------------------	------