

TANKER TEST AND INSPECTION REPORT

Information as required by CSA B-620-14

INSPECTION TEST DATE

2018-04

SERIAL NUMBER

18859

OWNER: **Robbie D. Wood, Inc.**

PRINCIPAL PLACE OF BUSINESS ADDRESS: **1051-Old Warrior River Rd** TELEPHONE: **205-744-8440**

CITY, STATE, ZIP CODE: **Dolomite, AL 35061**

OWNER'S SERIAL NO. MFG. DATE: **2018-04** ORIG. TEST DATE: **2018-04**

CARRIER'S EQUIPMENT NO. **SIRV-115** VESSEL MATERIAL SPEC. NO.

TYPE OF TEST (S)

EXTERNAL VISUAL (V)	PRESSURE RETEST (P)	A	W	45	PSIG / 10 MIN
INTERNAL VISUAL (I)	LEAKAGE TEST (K)	A	W	25	PSIG / 5 MIN
THICKNESS TEST (T)	UPPER COUPLER (UC)	MEDIUM		A = AIR	

HYDROSTATIC OR PNEUMATIC PROCEDURE: MEDIUM W = WATER

ON COMPARTMENTED TRAILER ONLY ONE COMPARTMENT CAN BE FILLED WITH LIQUID (FLUID USE FOR TEST IT'S ONLY WATER) OR

AIR WHEN PNEUMATIC TEST IS USED (SEE MANUAL FOR PROCEDURE)

TEST PRESSURE: **310.10** KPA

AND TEST AT A TIME ALL ADJACENT COMPARTMENT MUST BE EMPTY

CARRIER (if other than owner)

PRINCIPAL PLACE OF BUSINESS ADDRESS

CITY, STATE, ZIP CODE

TC SPECIFICATION NO. **407** FLUID CAPACITY (L) **26790**

MANUFACTURER'S SERIAL NO. **2TLSL4324KB000240** ASME CODE SYMBOL

CERTIFIED BY

MANUFACTURER: **TREMCAR INC.**

WATER CAPACITY (Kg) **26790**

DESIGNED FOR

MAXIMUM ALLOWABLE WORKING PRESSURE: **172.28** KPA

MINIMUM DESIGN METAL TEMPERATURE: **-29 TO 121** C TO C

CHECKLIST OF ITEMS INSPECTED OR TESTED (YES=ACCEPT/NO=REJECT)

OUTSIDE BARREL ITEMS	P	K	T	STRUCTURE ITEMS	YES	NO	GENERAL ITEMS	YES	NO	INTERNAL BARREL ITEMS	YES	NO
Tank Shell	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Roll over & Bumper protection	<input checked="" type="checkbox"/>		Distortions	<input checked="" type="checkbox"/>		Interior surface, including heads for corrosion	<input checked="" type="checkbox"/>	
Tank Heads	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Nuts and Bolts	<input checked="" type="checkbox"/>		Dents	<input checked="" type="checkbox"/>		distortion overlay patches, cracking etc.	<input checked="" type="checkbox"/>	
Head - to - Shell Seam	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				Welds	<input checked="" type="checkbox"/>		Areas above upper coupler, landing gear legs and	<input checked="" type="checkbox"/>	
Piping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Major Appurtenances	<input checked="" type="checkbox"/>		Frangible (Rupture) Disk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	subframe for indications of distortion or cracks	<input checked="" type="checkbox"/>	
Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	- connecting structures	<input checked="" type="checkbox"/>		Pressure of heating system	<input checked="" type="checkbox"/>		Interior welds for defects or cracking	<input checked="" type="checkbox"/>	
Gaskets	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	- suspension system attachments	<input checked="" type="checkbox"/>		Flues for Heating System	<input checked="" type="checkbox"/>		Size of the weld and theirs conformity	<input checked="" type="checkbox"/>	
Manhole Covers	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Drop upper coupler	<input checked="" type="checkbox"/>					Internal supports and attachments	<input checked="" type="checkbox"/>	
Manhole Gaskets	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	In place upper coupler	<input checked="" type="checkbox"/>		Name plate	<input checked="" type="checkbox"/>		Internal valves, piping and vents for leakage, damage	<input checked="" type="checkbox"/>	
Devices for Tightening Manhole	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Corroded or Abraded Areas	<input checked="" type="checkbox"/>		ASME Name plate	<input checked="" type="checkbox"/>		Weld of baffles and pads	<input checked="" type="checkbox"/>	
Reclosing Pressure Relief Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				Tanker insulate	<input checked="" type="checkbox"/>		Gaskets on Full Opening Rear Head	<input checked="" type="checkbox"/>	
Self-closing Stop-valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				Lining Material	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Internal piping pressure test	<input checked="" type="checkbox"/>	
Excess Flow Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				Corrosive transport	<input checked="" type="checkbox"/>				
Remote Closure Devices	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>									

(CHECK ONE) NO DEFECT OR DAMAGE DISCOVERED DEFECT OR DAMAGE DISCOVERED

EXPLAIN:

NONE - NEW CARGO TANK

IS REPAIR CERTIFICATION REQUIRED? YES NO

DESIGN CERTIFYING ENGINEER REGISTRATION NO. NONE - NEW TANK TRUCK

METHOD OF REPAIRS:

TEST DATE

2018-04

TC REGISTRATION NUMBER OF THE TESTING FACILITY/ PERSON

REPAIR INFORMATION

REPAIR DATE

TESTED BY: (PERSON'S) **Mourad Kambouli**

COMPANY NAME: **TREMCAR INC.**

ADDRESS: **790 MONTRICHARD AVE.**

CITY, STATE, ZIP CODE: **ST-JEAN-SUR-RICHELIEU, QC, CANADA, J2X 5G4**

DISPOSITION OF CARGO TANK APPLIED X IN THE APPROPRIATE CASE	CARGO TANK FAIL TC SPECIFICATIONS AND IS OUT OF SERVICE	CARGO TANK MEET TC SPECIFICATIONS AND IS RETURN TO SERVICE <input checked="" type="checkbox"/>	MARKINGS APPLIED	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
---	---	--	------------------	---	-----------------------------

SIGNATURE OF INSPECTOR	TC REGISTRATION NUMBER	DATE	OWNER SIGNATURE	DATE
<i>Mourad Kambouli</i>	25-0264	2018-04		



CT-5931
ST-JEAN-SUR-RICHELIEU

CT-5930
ST-CESAIRE

BCTE INC.


ISSUED TO OWNER


CERTIFICATE OF COMPLIANCE

THIS CERTIFIES THAT THE NEW TREM CAR TANK DESCRIBED BELOW WAS DESIGNED, CONSTRUCTED, TESTED AND COMPLETED IN ACCORDANCE WITH THE APPLICABLE CARGO TANK SPECIFICATION.

VEHICLE TYPE: **SEMI TRAILER** CAPACITY: **7077 USG** DATE SHIPPED: **2018-04**

YEAR FABRICATED: **2018** VIN: **2T1SL4324KB000240** SERIAL NUMBER: **18859**


RESPONSIBLE OFFICIAL OF TREM CAR INC.


REGISTERED INSPECTOR

DESIGN CERTIFICATION ENGINEER

CARGO TANK COMPLIES WITH SPECIFICATION

DOT: **407**

CERTIFICATION DATE: **2018-04**

CARGO TANK COMPLIES WITH SPECIFICATION

DOT: _____
EXCEPT AS LISTED

CERTIFICATION DATE: _____

ITEMS NOT INSTALLED AT TIME OF SHIPMENT:

1. _____

2. _____

3. _____

4. _____

ABOVE ITEMS INSTALLED: _____

BY: _____

FIRM

AUTHORIZED SIGNATURE(S)

RECORD OF ANNUAL INSPECTION

2018-04

(49 CFR, 396. 17-23)

Prepare Separate Report for Each Vehicle Inspected

D3918902

COMPANY NAME			VEHICLE TYPE <input type="checkbox"/> TRUCK <input type="checkbox"/> TRACTOR <input checked="" type="checkbox"/> TRAILER <input type="checkbox"/> CONVERTER DOLLY		
STREET ADDRESS			VEHICLE MAKE TREMCAR		
CITY			MODEL TRA/REM		YEAR 2019
STATE			VEHICLE IDENTIFICATION (Company No., State Tag No. or VIN) 2TLSL4324KB000240		
ZIP			EMPLOYEE NO.		
INSPECTOR'S NAME (Please Print)					

REPORT OF CONDITION (For Detailed Information on Inspection Procedures see FMCSR Section 396, Appendix G)

	OK	REPAIR		OK	REPAIR		OK	REPAIR		OK	REPAIR
BRAKES			EXHAUST			STEERING			FRAME		
Adjustment	✓		Leaks			Adjustment			Members		
Mechan. Compon.	✓		Placement			Column/Gear			Clearance		
Drum/Rotor	✓		LIGHTING			Axle					
Hose/Tubing	✓		Headlights			Linkage			TIRES		
Lining	✓		Tail/Stop	✓		Power Steering			Tread	✓	
Antilock System	✓		Clearance/Marker	✓		Other			Inflation	✓	
Automatic Adjusters	✓		Identification	✓		FUEL SYSTEM			Damage	✓	
Low Air Warning	✓		Reflectors	✓		Tank(s)			Speed Restrictions		
Trailer Air Supply			Other <i>ABS</i>	✓		Lines			Other		
Compressor											
Parking Brakes			CAB/BODY			SUSPENSION			WHEELS/RIM		
Other			Access			Springs			Fasteners	✓	
			Eqpt./Load Secure			Attachments	✓		Disc/Spoke	✓	
COUPLERS			Tie-Downs			Sliders			<i>500 LBS / Torq</i>	✓	
Fifth-Wheel & Mount			Headerboard			<i>AIR</i>	✓		WINDSHIELD		
Pin/Upper Plate	✓		Motorcoach Seats			MIRRORS					
Pintle-Hook/Eye			Other						WINDSHLD. WIP.		
Safety Chain(s)											

REMARKS

Certification: This vehicle has passed all the inspection items for the annual vehicle inspection in accordance with 49 CFR Part 396.

QUALIFIED INSPECTOR'S SIGNATURE

[Signature]

DATE

04/2018

APPLY LABEL TO A CLEAN, DRY SURFACE. USE WITH AN OVERLAMINATE (2402) TO IMPROVE DURABILITY UNDER NORMAL WEATHER CONDITIONS.

AN INDELIBLE INK MARKER IS RECOMMENDED FOR USE WHEN FILLING OUT THE LABEL. INDELIBLE INK IS PERMANENT AND WILL NOT WASH OFF, BUT MAY FADE DUE TO EXPOSURE TO ULTRAVIOLET LIGHT OVER TIME. CAREFUL DISCRETION IS ADVISED REGARDING APPLICATION OF LABEL TO AN AREA NOT EXPOSED TO EXCESSIVE ULTRAVIOLET LIGHT AND/OR ELEMENTS AND IT IS RECOMMENDED THAT THE READABILITY OF THE LABEL BE CHECKED PERIODICALLY.

Job#: 18843@18892		Units:		USG		Job#: 18843@18892		Units:		USG	
CHARTRE DE CALIBRATION / CALIBRATION CHART						CHARTRE DE CALIBRATION / CALIBRATION CHART					
CITERNE COMPARTIMENT / TANK COMPARTMENT: 1						CITERNE COMPARTIMENT / TANK COMPARTMENT: 1					
	0"	1/4"	1/2"	3/4"		0"	1/4"	1/2"	3/4"		
1	0	22	30	40	8	14	54	6199	6225	6251	6277
2	1	61	73	85	40	50	55	6302	6327	6352	6377
3	2	112	126	141	85	98	56	6401	6426	6450	6473
4	3	172	188	204	141	156	57	6497	6520	6543	6565
5	4	239	257	275	204	222	58	6588	6610	6631	6653
6	5	313	333	353	275	294	59	6674	6694	6715	6735
7	6	393	414	435	333	353	60	6754	6774	6793	6811
8	7	479	501	523	414	457	61	6829	6847	6864	6881
9	8	569	592	616	501	546	62	6897	6913	6929	6944
10	9	664	688	713	592	640	63	6958	6972	6985	6998
11	10	763	788	814	688	738	64	7010	7022	7032	7042
12	11	865	892	918	788	839	65	7051	7059	7066	7072
13	12	972	999	1026	892	945	66				
14	13	1081	1109	1137	999	1054					
15	14	1194	1222	1251	1109	1165					
16	15	1309	1338	1368	1222	1280					
17	16	1427	1457	1487	1338	1397					
18	17	1548	1578	1609	1457	1517					
19	18	1670	1701	1732	1578	1639					
20	19	1795	1826	1858	1701	1763					
21	20	1921	1953	1985	1826	1890					
22	21	2050	2082	2114	1953	2017					
23	22	2179	2212	2245	2082	2147					
24	23	2311	2344	2377	2212	2278					
25	24	2443	2476	2510	2344	2410					
26	25	2577	2610	2644	2476	2543					
27	26	2711	2745	2779	2610	2677					
28	27	2846	2880	2914	2745	2812					
29	28	2982	3016	3051	2880	2948					
30	29	3119	3153	3187	3016	3085					
31	30	3255	3290	3324	3153	3221					
32	31	3393	3427	3462	3290	3359					
33	32	3530	3565	3599	3427	3496					
34	33	3668	3702	3736	3565	3633					
35	34	3805	3839	3874	3702	3771					
36	35	3942	3976	4010	3839	3908					
37	36	4079	4113	4147	3976	4044					
38	37	4215	4249	4282	4113	4181					
39	38	4350	4384	4417	4249	4316					
40	39	4485	4518	4552	4384	4451					
41	40	4618	4652	4685	4518	4585					
42	41	4751	4784	4817	4652	4718					
43	42	4882	4915	4947	4784	4849					
44	43	5012	5044	5077	4915	4980					
45	44	5141	5172	5204	5044	5109					
46	45	5267	5299	5330	5172	5236					
47	46	5392	5423	5454	5299	5361					
48	47	5515	5545	5576	5423	5484					
49	48	5636	5665	5695	5545	5606					
50	49	5754	5783	5812	5665	5725					
51	50	5870	5898	5926	5783	5841					
52	51	5982	6010	6038	5898	5954					
53	52	6092	6119	6146	6010	6065					
54	53				6119	6173					

THIS CHART IS NOT INTENDED FOR LEGAL MEASURE
 CETTE TABLE N'EST PAS CONÇUE POUR MESURE LÉGALE

4766-SS1
SERV-115



CERTIFICATE OF COMPLIANCE

790 Avenue Montrichard
Saint-Jean-sur-Richelieu
Canada J2X 5G4
Transport Canada Reg. # 25-264

THIS CERTIFIES THAT THE NEW TREM CAR INC TANK, FITTINGS, VALVES, PIPING AND PROTECTIVE DEVICES DESCRIBED BELOW WAS DESIGNED, CONSTRUCTED, TESTED, AND COMPLETED IN ACCORDANCE WITH THE APPLICABLE CARGO TANK SPECIFICATION

VEHICLE TY1	TRAILER	MANUFACTURER:	TREM CAR INC.	TCRN:	N/A
		ASSEMBLER:		MDIN:	13017
		(IF NOT SAME AS MANUFACTURER)		VIN:	2TL5L4324KB000240
				TANK SERIAL NUMBER:	18859

RESPONSIBLE OFFICIAL OF TREM CAR INC.

DESIGN ENGINEER

TANK INSPECTOR
NAME AND ADDRESS (IF NOT SAME AS ABOVE)

CARGO TANK COMPLIES WITH SECIFICATION:

TC 407		DATE OF MFR:	2018-04
VENTS INTALLED:	RATING	DATE OF CERT.:	2018-04
	1. BETTS RVC3ST-25, 409559 SCFH (90%)		
	2. _____		
	3. _____		

ITEMS NOT INSTALLED AT TIME OF SHIPMENT: 1. _____

ORIG. TEST DATE	2018-04		
MAX. PAYLOAD	27443	KG	
MAX LOAD RATE	1893	L/MIN @	172.3 Kpa
MAX. UNLOAD RATE	1893	L/MIN @	172.3 Kpa
HEATING SYS. PRESS.	516.8	Kpa	HEATING SYS. TEMP. 121.1 °C
MAWP	172.3	Kpa	TEST P 310.1 Kpa
DESIGN TEMP. RANGE	-29	°C	TO 121 °C
WELD MATL.	ER316L		HEAD MATL. SA240-316/316L
SHELL MATL.	SA240-316/316L		LINING N/A
MIN. SHELL THICK.	TOP 2.921	MM	BOTTOM 2.921 MM
MFD. SHELL THICK.	TOP 3.277	MM	BOTTOM 3.277 MM
MIN HEAD THICK.	2.921	MM	MFD HEAD THICK. 3.556 MM
MAX. LADING DENSITY	1.92	KG/L	VOL. CAP 26 790 L
EXPOSED SURFACE AREA	67.07	SQ M	

TANK TEST AND INSPECTION REPORT

For compliance with 49 CFR 180.407(h)(4), 180.417(b) & (c), and 40 CFR 60.505(b)

OWNER Robbie D. Wood INC.		CARRIER (if other than owner)	
PRINCIPAL PLACE OF BUSINESS ADDRESS 1051 Old Warrior River Rd.		PRINCIPAL PLACE OF BUSINESS ADDRESS	
CITY, STATE, ZIP CODE Dolomite, AL. 35061		TELEPHONE 205-744-8440	
OWNER'S TANK SERIAL NO. SERV 115	MFG. DATE 2018-04	CARRIER'S EQUIPMENT NO.	VESSEL MATERIAL SPEC. NO.
CARGO TANK MOTOR VEHICLE MFG. TREMCAR	CARGO TANK MOTOR VEHICLE CERT. DATE 2018-04	TANK MANUFACTURER TREMCAR	MANUFACTURER'S TANK SERIAL NO. 2TLSL4324KB000240
MAX. WEIGHT OF LADING LBS. 60500	LINING MATERIALS N/A	DOT SPECIFICATION NO. 407	FLUID CAPACITY (GALS.) 7077 USG
HEATING SYSTEM	DESIGN PRESSURE (PSIG) 75	DESIGN TEMPERATURE °F 250	ORIGINAL TEST DATE 2018-04
MATERIAL		DESIGN TEMPERATURE °F -20 TO °F 250	MAXIMUM ALLOWABLE WORKING PRESSURE PSIG 25
SHELL SA240-316/316 L	HEAD SA240-316/316 L	WATER CAPACITY IN LBS. 59022	
EXPOSED SURFACE AREA IN SQ. FT. 722	MAX. DESIGN DENSITY OF LADING (LBS. PER GAL.) 16.00	TANK <input type="checkbox"/> LINED <input checked="" type="checkbox"/> INSULATED <input type="checkbox"/> SPECIAL SERVICE <input type="checkbox"/> MATERIAL CORROSIVE TO TANK _____ <input type="checkbox"/> DEDICATED SERVICE _____ <input type="checkbox"/> OTHER _____	
TYPE OF TEST(S)			
<input checked="" type="checkbox"/> EXTERNAL VISUAL (V) <input checked="" type="checkbox"/> LEAKAGE TEST (K) <input checked="" type="checkbox"/> PRESSURE RETEST (P) <input checked="" type="checkbox"/> INTERNAL VISUAL (I) <input type="checkbox"/> HYDROSTATIC <input type="checkbox"/> PNEUMATIC <input type="checkbox"/> HYDROSTATIC <input type="checkbox"/> LINING INSPECTION (L) <input type="checkbox"/> DELIVERY HOSE/PIPING <input type="checkbox"/> PNEUMATIC <input checked="" type="checkbox"/> THICKNESS TEST (T) <input type="checkbox"/> K-EPA27			

ITEMS INSPECTED OR TESTED																				
YES	NO	ITEM	YES	NO	ITEM	TYPE					K-EPA27									
<input checked="" type="checkbox"/>		Tank Shell	<input checked="" type="checkbox"/>		Frangible (Rupture) Disk	PRESSURE RELIEF DEVICES	BETTS #RVC351	25							Gasoline Delivery Tank Pressure Test – EPA Reference Method 27					
<input checked="" type="checkbox"/>		Tank Heads	<input checked="" type="checkbox"/>		Major Appurtenances										TEST	TIME	MEASURE	AVERAGE		
<input checked="" type="checkbox"/>		Head-to-Shell Seam	<input checked="" type="checkbox"/>		- upper coupler assembly										PRES.	START	END	START	END	RESULTS
<input checked="" type="checkbox"/>		Valves	<input checked="" type="checkbox"/>		- suspension system attachments										PRES.	1				
<input checked="" type="checkbox"/>		Gaskets	<input checked="" type="checkbox"/>		- connecting structures										PRES.	2				
<input checked="" type="checkbox"/>		Manhole Covers	<input checked="" type="checkbox"/>		Lining Material										VAC.	1				
<input checked="" type="checkbox"/>		Manhole Gaskets	<input checked="" type="checkbox"/>		Pressure Bearing Portions of Heating System										VAC.	2				
<input checked="" type="checkbox"/>		Devices for Tightening Manhole Gaskets on Full Opening Rear Head	<input checked="" type="checkbox"/>		Flues for Heating System										VR VENT	1				
<input checked="" type="checkbox"/>		Self-closing Stop-valves	<input checked="" type="checkbox"/>		Corroded or Abraded Areas										VR VENT	2				
<input checked="" type="checkbox"/>		Excess Flow Valves	<input checked="" type="checkbox"/>		Distortions										UPPER COUPLER ASSEMBLY <input checked="" type="checkbox"/> EXAMINED IN PLACE NEW <input type="checkbox"/> REMOVED FOR EXAMINATION					
<input checked="" type="checkbox"/>		Remote Closure Devices	<input checked="" type="checkbox"/>		Dents	LEAKAGE TEST	PRESSURE TEST													
<input checked="" type="checkbox"/>		Reclosing Pressure Relief Valves	<input checked="" type="checkbox"/>		Welds	FLUID USED	WATER	WATER												
DELIVERY HOSE/PIPING						THICKNESS (INCHES)	MFG.	MIN. TESTED	PRESSURE	HOLDING TIME	5 min	10 min								
HOSE I.D. NO. N/A DATE OF ORIG. HOSE ASSEMBLY TEST _____						HEAD	0.129	0.115	25											
CONDITION OF HOSE ASSEMBLY & PIPING SYSTEM _____						SHELL TOP	0.127	0.115	30											
						SHELL SIDE	0.127	0.115	27											
						SHELL BOTTOM	0.127	0.115												

(CHECK ONE) NO DEFECT OR DAMAGE DISCOVERED DEFECTS OR DAMAGE DISCOVERED

LOCATION OF DEFECTS OR DAMAGE: weld heat-affected zone liquid phase vapor phase head-to-shell seam delivery hose/piping appurtenances

Explain: **NONE - NEW CARGO TANK**

NATURE AND SEVERITY:

METHOD OF REPAIRS: _____ IS REPAIR CERTIFICATION REQUIRED? YES NO DESIGN CERTIFYING ENGINEER REGISTRATION NO. _____

THIS UNIT HAS HAULED ANHYDROUS AMMONIA (CERTIFIED AS 0.2% WATER BY WEIGHT) LIQUEFIED PETROLEUM GAS ANY OTHER MATERIAL THAT MAY CAUSE STRESS CORROSION CRACKING

STRESS RELIEVED AFTER FABRICATION YES NO REPAIR DATE _____

DOT REGISTRATION NUMBER OF THE TESTING FACILITY/PERSON **CT-5931** TEST DATE **2018-04** STRESS RELIEVED AFTER REPAIR YES (Full Local) NO ASME OR NATIONAL BOARD NO. OF REPAIR FACILITY _____

TESTED BY (Person's Name) **Moussa Kambou** REPAIRED BY _____

ADDRESS **790 MONTRICHARD AVE.** ADDRESS _____

CITY, STATE, ZIP **ST-JEAN-SUR-RICHELIEU, QC, CANADA, J2X 5G4** CITY, STATE, ZIP _____

CARGO TANK: MEETS FAILS TO MEET THE REQUIREMENTS OF THE DOT SPECIFICATIONS IDENTIFIED ON THIS REPORT

DISPOSITION OF CARGO TANK: WITHDRAWN FROM SERVICE RETURNED TO SERVICE MARKINGS APPLIED: YES NO

SIGNATURE OF INSPECTOR / TESTER <i>Moussa Kambou</i>	DOT REGISTRATION NUMBER CT-5931	DATE 2018-04	SIGNATURE OF OWNER	DATE
---	---	------------------------	--------------------	------