

4752-SS1
SIRV104

TANKER TEST AND INSPECTION REPORT				INSPECTION TEST DATE		SERIAL NUMBER								
Information as required by CSA 8-520-14				2018-03		18847								
OWNER Robbie D Wood Inc				CARRIER (if other than owner)										
PRINCIPAL PLACE OF BUSINESS ADDRESS 1051 Old Warrior River Rd				PRINCIPAL PLACE OF BUSINESS ADDRESS										
CITY, STATE, ZIP CODE Dolomite AL 35061				CITY, STATE, ZIP CODE										
OWNER'S SERIAL NO.		MFG. DATE 2018-03	ORIG. TEST DATE 2018-03	TC SPECIFICATION NO. 407		FLUID CAPACITY (L) 26790								
CARRIER'S EQUIPMENT NO. SIRV104		VESSEL MATERIAL SPEC. NO.		MANUFACTURER'S SERIAL NO. 2TLSL4320KB000185		ASME CODE SYMBOL								
TYPE OF TEST (S)				CERTIFIED BY										
<input checked="" type="checkbox"/> EXTERNAL VISUAL (V)	<input checked="" type="checkbox"/> PRESSURE RETEST (P)	A	W	45	PSIG / 10 MIN									
<input checked="" type="checkbox"/> INTERNAL VISUAL (I)	<input checked="" type="checkbox"/> LEAKAGE TEST (K)	A	W	25	PSIG / 5 MIN									
<input checked="" type="checkbox"/> THICKNESS TEST (T)	<input checked="" type="checkbox"/> UPPER COUPLER (UC)	MEDIUM		A = AIR										
HYDROSTATIC OR PNEUMATIC PROCEDURE				MEDIUM										
ON COMPARTMENTED TRAILER ONLY ONE COMPARTMENT CAN BE				W = WATER										
FILLED WITH LIQUID (FLUID USE FOR TEST IT'S ONLY WATER) OR				WATER CAPACITY (Kg)										
AIR WHEN PNEUMATIC TEST IS USED (SEE MANUAL FOR PROCEDURE)				26790										
AND TEST AT A TIME ALL ADJACENT COMPARTMENT MUST BE EMPTY				DESIGNED FOR										
TEST PRESSURE		KPA		MAXIMUM ALLOWABLE WORKING PRESSURE		MINIMUM DESIGN METAL TEMPERATURE								
310.10		310.10		172.28		29 TO 121								
CHECKLIST OF ITEMS INSPECTED OR TESTED (YES=ACCEPT/NO=REJECT)														
OUTSIDE BARREL ITEMS	P	K	T	STRUCTURE ITEMS	YES	NO	GENERAL ITEMS	YES	NO	INTERNAL BARREL ITEMS	YES	NO		
Tank Shell	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Roll over & Bumper protection	<input checked="" type="checkbox"/>		Distortions	<input checked="" type="checkbox"/>		Interior surface, including heads for corrosion	<input checked="" type="checkbox"/>			
Tank Heads	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Nuts and Bolts	<input checked="" type="checkbox"/>		Dents	<input checked="" type="checkbox"/>		distortion overlay patches, cracking etc.	<input checked="" type="checkbox"/>			
Head - to - Shell Seam	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Major Appurtenances	<input checked="" type="checkbox"/>		Welds	<input checked="" type="checkbox"/>		Areas above upper coupler, landing gear legs and	<input checked="" type="checkbox"/>			
Piping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	- connecting structures	<input checked="" type="checkbox"/>		Frangible (Rupture) Disk	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	subframe for indications of distortion or cracks	<input checked="" type="checkbox"/>			
Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	- suspension system attachments	<input checked="" type="checkbox"/>		Pressure of heating system	<input checked="" type="checkbox"/>		Interior welds for defects or cracking	<input checked="" type="checkbox"/>			
Gaskets	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Drop upper coupler	<input checked="" type="checkbox"/>		Flues for Heating System	<input checked="" type="checkbox"/>		Size of the weld and their conformity	<input checked="" type="checkbox"/>			
Manhole Covers	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	In place upper coupler	<input checked="" type="checkbox"/>		Name plate	<input checked="" type="checkbox"/>		Internal supports and attachments	<input checked="" type="checkbox"/>			
Manhole Gaskets	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Corroded or Abraded Areas	<input checked="" type="checkbox"/>		ASME Name plate	<input checked="" type="checkbox"/>		Internal valves, piping and vents for leakage, damage	<input checked="" type="checkbox"/>			
Devices for Tightening Manhole	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		Tanker Insulate	<input checked="" type="checkbox"/>		Weld of baffles and pads	<input checked="" type="checkbox"/>			
Reclosing Pressure Relief Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		Lining Material	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Gaskets on Full Opening Rear Head	<input checked="" type="checkbox"/>			
Self-closing Stop-valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		Corrosive transport	<input checked="" type="checkbox"/>		Internal piping pressure test	<input checked="" type="checkbox"/>			
Excess Flow Valves	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>									
Remote Closure Devices	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>									
(CHECK ONE)				NO DEFECT OR DAMAGE DISCOVERED				<input checked="" type="checkbox"/> DEFECT OR DAMAGE DISCOVERED						
EXPLAIN: NONE - NEW CARGO TANK														
IS REPAIR CERTIFICATION REQUIRED?				YES		NO		DESIGN CERTIFYING ENGINEER REGISTRATION NO.					NONE - NEW TANK TRUCK	
METHOD OF REPAIRS:														
TC REGISTRATION NUMBER OF THE TESTING FACILITY/ PERSON								REPAIR INFORMATION					TEST DATE	
													2018-03	
TESTED BY: (PERSON'S) ROUSSELLE LIONEL								TESTED BY: (PERSON'S)					REPAIR DATE	
COMPANY NAME: TREMCAR INC.								REPAIRED BY						
ADDRESS: 790 MONTRICHARD AVE.								ADDRESS						
CITY, STATE, ZIP CODE: ST-JEAN-SUR-RICHELIEU, QC, CANADA, J2X 5G4								CITY, STATE, ZIP CODE						
DISPOSITION OF CARGO TANK APPLIED X IN THE APPROPRIATE CASE				CARGO TANK FAIL TC SPECIFICATIONS AND IS OUT OF SERVICE				CARGO TANK MEET TC SPECIFICATIONS AND IS RETURN TO SERVICE				MARKINGS APPLIED		
								<input checked="" type="checkbox"/>				YES NO		
SIGNATURE OF INSPECTOR				TC REGISTRATION NUMBER				DATE				OWNER SIGNATURE		
				25-0264				2018-03						



CERTIFICATE OF COMPLIANCE

CT-5931 ST-JEAN-SUR-RICHELIEU CT-5930 ST-CESAIRE

BCTE INC.

ISSUED TO OWNER

THIS CERTIFIES THAT THE NEW TREM CAR TANK DESCRIBED BELOW WAS DESIGNED, CONSTRUCTED, TESTED AND COMPLETED IN ACCORDANCE WITH THE APPLICABLE CARGO TANK SPECIFICATION.

VEHICLE TYPE: **SEMI TRAILER** CAPACITY: **7077 USG** DATE SHIPPED: **2018-03**
YEAR FABRICATED: **2018** VIN: **2TLSL4320K6000185** SERIAL NUMBER: **18847**

Jacques Goulet
RESPONSIBLE OFFICIAL OF TREM CAR INC.
DESIGN CERTIFICATION ENGINEER

[Signature]
REGISTERED INSPECTOR

CARGO TANK COMPLIES WITH SPECIFICATION

DOT: **407**
CERTIFICATION DATE: **2018-03**

CARGO TANK COMPLIES WITH SPECIFICATION

DOT: _____
EXCEPT AS LISTED
CERTIFICATION DATE: _____

ITEMS NOT INSTALLED AT TIME OF SHIPMENT:

- 1. _____
- 2. _____
- 3. _____
- 4. _____

ABOVE ITEMS INSTALLED: _____

BY: _____ FIRM _____ AUTHORIZED SIGNATURE(S) _____

RECORD OF ANNUAL INSPECTION

(49 CFR, 396. 17-23)

Prepare Separate Report for Each Vehicle Inspected

DATE

2018-03

D3918888

COMPANY NAME <i>Robbie D Wood Inc</i>			VEHICLE TYPE <input type="checkbox"/> TRUCK <input type="checkbox"/> TRACTOR <input checked="" type="checkbox"/> TRAILER <input type="checkbox"/> CONVERTER DOLLY		
STREET ADDRESS <i>1051 Old Warrior River Road</i>			VEHICLE MAKE TREMCAR		MODEL TRA/REM
CITY <i>Hueytown</i>		STATE <i>AL</i>	YEAR 2019		VEHICLE IDENTIFICATION (Company No., State Tag No. or VIN) 2TSL4320KB000185
INSPECTOR'S NAME (Please Print)				EMPLOYEE NO.	

REPORT OF CONDITION (For Detailed Information on Inspection Procedures see FMCSR Section 396, Appendix G)

	OK	REPAIR		OK	REPAIR		OK	REPAIR		OK	REPAIR
BRAKES			EXHAUST			STEERING			FRAME		
Adjustment	✓		Leaks			Adjustment			Members		
Mechan. Compon.	✓		Placement			Column/Gear			Clearance		
Drum/Rotor	✓		LIGHTING			Axle					
Hose/Tubing	✓		Headlights			Linkage			TIRES		
Lining	✓		Tail/Stop	✓		Power Steering			Tread	✓	
Antilock System	✓		Clearance/Marker	✓		Other			Inflation	✓	
Automatic Adjusters	✓		Identification	✓		FUEL SYSTEM			Damage	✓	
Low Air Warning			Reflectors	✓		Tank(s)			Speed Restrictions		
Trailer Air Supply			Other	✓		Lines			Other		
Compressor											
Parking Brakes			CAB/BODY			SUSPENSION			WHEELS/RIM		
Other			Access			Springs			Fasteners	✓	
			Eqpt./Load Secure			Attachments	✓		Disc/Spoke	✓	
COUPLERS			Tie-Downs			Sliders			<i>500285 J089</i>	✓	
Fifth-Wheel & Mount			Headerboard				✓		WINDSHIELD		
Pin/Upper Plate	✓		Motorcoach Seats			MIRRORS					
Pintle-Hook/Eye			Other						WINDSHLD. WIP.		
Safety Chain(s)											

REMARKS

Certification: This vehicle has passed all the inspection items for the annual vehicle inspection in accordance with 49 CFR Part 396.

QUALIFIED INSPECTOR'S SIGNATURE

[Signature]

DATE *2018-03*

APPLY LABEL TO A CLEAN, DRY SURFACE. USE WITH AN OVERLAMINATE (2402) TO IMPROVE DURABILITY UNDER NORMAL WEATHER CONDITIONS.

AN INDELIBLE INK MARKER IS RECOMMENDED FOR USE WHEN FILLING OUT THE LABEL. INDELIBLE INK IS PERMANENT AND WILL NOT WASH OFF, BUT MAY FADE DUE TO EXPOSURE TO ULTRAVIOLET LIGHT OVER TIME. CAREFUL DISCRETION IS ADVISED REGARDING APPLICATION OF LABEL TO AN AREA NOT EXPOSED TO EXCESSIVE ULTRAVIOLET LIGHT AND/OR ELEMENTS AND IT IS RECOMMENDED THAT THE READABILITY OF THE LABEL BE CHECKED PERIODICALLY.



CERTIFICATE OF COMPLIANCE

790 Avenue Montrichard
 Saint-Jean-sur-Richelieu
 Canada J2X 5G4
 Transport Canada Reg. # 25-264

THIS CERTIFIES THAT THE NEW TREMCAR INC TANK, FITTINGS, VALVES, PIPING AND PROTECTIVE DEVICES DESCRIBED BELOW WAS DESIGNED, CONSTRUCTED, TESTED, AND COMPLETED IN ACCORDANCE WITH THE APPLICABLE CARGO TANK SPECIFICATION

VEHICLE TY) _____	TRAILER _____	MANUFACTURER: _____	TREMCAR INC.	TCRN: _____	N/A
		ASSEMBLER: _____		MDIN: _____	13017
		(IF NOT SAME AS MANUFACTURER)		VIN: _____	2T1LSL4320KB000185
				TANK SERIAL NUMBER: _____	18847

Jacques Demblay
 RESPONSIBLE OFFICIAL OF TREMCAR INC.

[Signature]
 DESIGN ENGINEER

[Signature]
 TANK INSPECTOR
 NAME AND ADDRESS (IF NOT SAME AS ABOVE)

CARGO TANK COMPLIES WITH SECIFICATION:

TC 407

VENTS INTALLED:	RATING	DATE OF MFR:	2018-03
	1. BETFS RVC3ST-25, 409559 SCFH (90%)	DATE OF CERT.:	2018-03
	2. _____		
	3. _____		

ITEMS NOT INSTALLED AT TIME OF SHIPMENT: 1. _____

ORIG. TEST DATE	2018-03		
MAX. PAYLOAD	27443	KG	
MAX. LOAD RATE	1893	L/MIN @	172.3 Kpa
MAX. UNLOAD RATE	1893	L/MIN @	172.3 Kpa
HEATING SYS. PRESS.	516.8	Kpa	HEATING SYS. TEMP. 121.1 °C
MAWP	172.3	Kpa	TEST P 310.1 Kpa
DESIGN TEMP. RANGE	-29	°C	TO 121 °C
WELD MATL.	ER316L		HEAD MATL. SA240-316/316L
SHELL MATL.	SA240-316/316L		LINING N/A
MIN. SHELL THICK.	TOP 2.921	MM	BOTTOM 2.921 MM
MFD. SHELL THICK.	TOP 3.277	MM	BOTTOM 3.277 MM
MIN HEAD THICK.	2.921	MM	MFD HEAD THICK. 3.556 MM
MAX. LADING DENSITY	1.92	KG/L	VOL. CAP 26 790 L
EXPOSED SURFACE AREA	67.07	SQ M	

Job#:	18843@18892	Units:	USG	Job#:	18843@18892	Units:	USG	
CHARTRE DE CALIBRATION / CALIBRATION CHART		CHARTRE DE CALIBRATION / CALIBRATION CHART		CHARTRE DE CALIBRATION / CALIBRATION CHART		CHARTRE DE CALIBRATION / CALIBRATION CHART		
CITERNE COMPARTIMENT / TANK COMPARTMENT: 1		CITERNE COMPARTIMENT / TANK COMPARTMENT: 1		CITERNE COMPARTIMENT / TANK COMPARTMENT: 1		CITERNE COMPARTIMENT / TANK COMPARTMENT: 1		
	0"	1/4"	1/2"	3/4"	0"	1/4"	1/2"	3/4"
1	0	0	3	8	14	54	6189	6251
2	1	22	30	40	50	55	6302	6352
3	2	61	73	85	98	56	6401	6450
4	3	112	126	141	156	57	6497	6543
5	4	172	188	204	222	58	6588	6653
6	5	239	257	275	294	59	6674	6735
7	6	313	333	353	373	60	6754	6793
8	7	393	414	435	457	61	6829	6881
9	8	479	501	523	546	62	6897	6944
10	9	569	592	616	640	63	6958	6998
11	10	664	688	713	738	64	7010	7042
12	11	763	788	814	839	65	7051	7066
13	12	865	892	918	945	66		
14	13	972	999	1026	1054			
15	14	1081	1109	1137	1165			
16	15	1194	1222	1251	1280			
17	16	1309	1338	1368	1397			
18	17	1427	1457	1487	1517			
19	18	1548	1578	1609	1639			
20	19	1670	1701	1732	1763			
21	20	1795	1826	1858	1890			
22	21	1921	1953	1985	2017			
23	22	2050	2082	2114	2147			
24	23	2179	2212	2245	2278			
25	24	2311	2344	2377	2410			
26	25	2443	2476	2510	2543			
27	26	2577	2610	2644	2677			
28	27	2711	2745	2779	2812			
29	28	2846	2880	2914	2948			
30	29	2982	3016	3051	3085			
31	30	3119	3153	3187	3221			
32	31	3255	3290	3324	3359			
33	32	3393	3427	3462	3496			
34	33	3530	3565	3599	3633			
35	34	3668	3702	3736	3771			
36	35	3805	3839	3874	3908			
37	36	3942	3976	4010	4044			
38	37	4079	4113	4147	4181			
39	38	4215	4249	4282	4316			
40	39	4350	4384	4417	4451			
41	40	4485	4518	4552	4585			
42	41	4618	4652	4685	4718			
43	42	4751	4784	4817	4849			
44	43	4882	4915	4947	4980			
45	44	5012	5044	5077	5109			
46	45	5141	5172	5204	5236			
47	46	5267	5299	5330	5361			
48	47	5392	5423	5454	5484			
49	48	5515	5545	5576	5606			
50	49	5636	5665	5695	5725			
51	50	5754	5783	5812	5841			
52	51	5870	5898	5926	5954			
53	52	5982	6010	6038	6065			
54	53	6092	6119	6146	6173			

THIS CHART IS NOT INTENDED FOR LEGAL MEASURE
 CETTE TABLE N'EST PAS CONÇUE POUR MESURE LÉGALE

TANK TEST AND INSPECTION REPORT
For compliance with 49 CFR 180.407(h)(4), 180.417(b) & (c), and 40 CFR 60.505(b)

OWNER Robbie D Wood Inc		CARRIER (if other than owner)	
PRINCIPAL PLACE OF BUSINESS ADDRESS 1057 Old Warrior River Road		PRINCIPAL PLACE OF BUSINESS ADDRESS	
CITY, STATE, ZIP CODE Hueytown AL 35023		TELEPHONE 205-744-8459	
OWNER'S TANK SERIAL NO. SIRV 104	MFG. DATE 2018-03	CARRIER'S EQUIPMENT NO.	VESSEL MATERIAL SPEC. NO.
CARGO TANK MOTOR VEHICLE MFG. TREMCAR	CARGO TANK MOTOR VEHICLE CERT. DATE 2018-03	TANK MANUFACTURER TREMCAR	MANUFACTURER'S TANK SERIAL NO. 2TSL4320KB000185
MAX. WEIGHT OF LADING LBS. 60500	LINING MATERIALS N/A	DOT SPECIFICATION NO. 407	FLUID CAPACITY (GALS.) 7077 USG
HEATING SYSTEM	DESIGN PRESSURE (PSIG) 75	DESIGN TEMPERATURE (°F) 250	ORIGINAL TEST DATE 2018-03
MATERIAL SHELL SA240-316/316 L HEAD SA240-316/316 L		MAXIMUM ALLOWABLE WORKING PRESSURE PSIG 25	
EXPOSED SURFACE AREA IN SQ. FT. 722	MAX. DESIGN DENSITY OF LADING (LBS. PER GAL.) 16.00	DESIGN TEMPERATURE °F -20 TO °F 250	
TANK <input type="checkbox"/> LINED <input checked="" type="checkbox"/> INSULATED <input type="checkbox"/> SPECIAL SERVICE <input type="checkbox"/> MATERIAL CORROSIVE TO TANK _____ <input type="checkbox"/> DEDICATED SERVICE _____ <input type="checkbox"/> OTHER _____			
TYPE OF TEST(S)			
<input checked="" type="checkbox"/> EXTERNAL VISUAL (V) <input checked="" type="checkbox"/> LEAKAGE TEST (K) <input checked="" type="checkbox"/> PRESSURE RETEST (P) <input checked="" type="checkbox"/> INTERNAL VISUAL (I) <input checked="" type="checkbox"/> HYDROSTATIC <input type="checkbox"/> PNEUMATIC <input checked="" type="checkbox"/> HYDROSTATIC <input type="checkbox"/> LINING INSPECTION (L) <input type="checkbox"/> DELIVERY HOSE/PIPING <input type="checkbox"/> PNEUMATIC <input checked="" type="checkbox"/> THICKNESS TEST (T) <input type="checkbox"/> K-EPA27			

ITEMS INSPECTED OR TESTED																																																													
YES	NO	ITEM	YES	NO	ITEM	TYPE					K-EPA27																																																		
<input checked="" type="checkbox"/>		Tank Shell	<input checked="" type="checkbox"/>		Frangible (Rupture) Disk	PRESSURE RELIEF DEVICES	BETTS #RVC351-25																																																						
<input checked="" type="checkbox"/>		Tank Heads	<input checked="" type="checkbox"/>		Major Appurtenances																																																								
<input checked="" type="checkbox"/>		Head-to-Shell Seam	<input checked="" type="checkbox"/>		- upper coupler assembly																																																								
<input checked="" type="checkbox"/>		Valves	<input checked="" type="checkbox"/>		- suspension system attachments																																																								
<input checked="" type="checkbox"/>		Gaskets	<input checked="" type="checkbox"/>		- connecting structures																																																								
<input checked="" type="checkbox"/>		Manhole Covers	<input checked="" type="checkbox"/>		Lining Material																																																								
<input checked="" type="checkbox"/>		Manhole Gaskets	<input checked="" type="checkbox"/>		Pressure Bearing Portions of Heating System																																																								
<input checked="" type="checkbox"/>		Devices for Tightening Manhole Gaskets on Full Opening Rear Head	<input checked="" type="checkbox"/>		Flues for Heating System																																																								
<input checked="" type="checkbox"/>		Self-closing Stop-valves	<input checked="" type="checkbox"/>		Corroded or Abraded Areas																																																								
<input checked="" type="checkbox"/>		Excess Flow Valves	<input checked="" type="checkbox"/>		Distortions																																																								
<input checked="" type="checkbox"/>		Remote Closure Devices	<input checked="" type="checkbox"/>		Dents																																																								
<input checked="" type="checkbox"/>		Reclosing Pressure Relief Valves	<input checked="" type="checkbox"/>		Welds																																																								
<input checked="" type="checkbox"/>		Nuts and Bolts	<input checked="" type="checkbox"/>																																																										
DELIVERY HOSE/PIPING HOSE I.D. NO. N/A DATE OF ORIG. HOSE ASSEMBLY TEST _____ CONDITION OF HOSE ASSEMBLY & PIPING SYSTEM _____						THICKNESS (INCHES) MFG. MIN. TESTED HEAD <u>0.134</u> 0.115 SHELL TOP <u>0.127</u> 0.115 SHELL SIDE <u>0.127</u> 0.115 SHELL BOTTOM <u>0.127</u> 0.115						Gasoline Delivery Tank Pressure Test - EPA Reference Method 27 <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">TEST</th> <th colspan="2">TIME</th> <th colspan="2">MEASURE</th> <th rowspan="2">AVERAGE RESULTS</th> </tr> <tr> <th>START</th> <th>END</th> <th>START</th> <th>END</th> </tr> </thead> <tbody> <tr> <td>PRES. 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>PRES. 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>VAC. 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>VAC. 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>VR VENT 1</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>VR VENT 2</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>				TEST	TIME		MEASURE		AVERAGE RESULTS	START	END	START	END	PRES. 1						PRES. 2						VAC. 1						VAC. 2						VR VENT 1						VR VENT 2					
TEST	TIME		MEASURE		AVERAGE RESULTS																																																								
	START	END	START	END																																																									
PRES. 1																																																													
PRES. 2																																																													
VAC. 1																																																													
VAC. 2																																																													
VR VENT 1																																																													
VR VENT 2																																																													
UPPER COUPLER ASSEMBLY <input checked="" type="checkbox"/> EXAMINED IN PLACE NEW <input type="checkbox"/> REMOVED FOR EXAMINATION										LEAKAGE TEST PRESSURE TEST FLUID USED <u>WATER</u> <u>WATER</u> PRESSURE <u>25</u> <u>45</u> HOLDING TIME <u>5 min</u> <u>10 min</u>																																																			

(CHECK ONE) NO DEFECT OR DAMAGE DISCOVERED DEFECTS OR DAMAGE DISCOVERED

LOCATION OF DEFECTS OR DAMAGE: weld heat-affected zone liquid phase vapor phase head-to-shell seam delivery hose/piping appurtenances

Explain: **NONE - NEW CARGO TANK**

NATURE AND SEVERITY:

METHOD OF REPAIRS: IS REPAIR CERTIFICATION REQUIRED? YES NO DESIGN CERTIFYING ENGINEER REGISTRATION NO. _____

THIS UNIT HAS HAULED	<input type="checkbox"/> ANHYDROUS AMMONIA <input type="checkbox"/> CERTIFIED AS 0.2% WATER BY WEIGHT <input type="checkbox"/> LIQUEFIED PETROLEUM GAS	<input type="checkbox"/> ANY OTHER MATERIAL THAT MAY CAUSE STRESS CORROSION CRACKING	STRESS RELIEVED AFTER FABRICATION <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	REPAIR DATE
DOT REGISTRATION NUMBER OF THE TESTING FACILITY/PERSON CT-5931	TEST DATE 2018-03	STRESS RELIEVED AFTER REPAIR <input type="checkbox"/> YES (<input type="checkbox"/> Full <input type="checkbox"/> Local) <input type="checkbox"/> NO	ASME OR NATIONAL BOARD NO. OF REPAIR FACILITY	
TESTED BY (Person's Name) RUSSELLE PIONEL		REPAIRED BY		
ADDRESS 790 MONTRICHARD AVE.		ADDRESS		
CITY, STATE, ZIP ST-JEAN-SUR-RICHELIEU, QC, CANADA, J2X 5G4		CITY, STATE, ZIP		

CARGO TANK: MEETS FAILS TO MEET THE REQUIREMENTS OF THE DOT SPECIFICATIONS IDENTIFIED ON THIS REPORT

DISPOSITION OF CARGO TANK: WITHDRAWN FROM SERVICE RETURNED TO SERVICE MARKINGS APPLIED: YES NO

SIGNATURE OF INSPECTOR/TESTER <i>[Signature]</i>	DOT REGISTRATION NUMBER CT-5931	DATE 2018-03	SIGNATURE OF OWNER	DATE
---	---	------------------------	--------------------	------